

INDEX MAPS.
T. 21N, R. 4E. 2nd Mer.

	6	5	4	3	2	1
	7	8	9	10	11	12
		297	293	290	288	284
	297	297	293	290	287	284
281	18	297	17	293	16	290
	296	296	292	290	287	283
281	19	296	20	292	21	289
	295	295	292	289	286	283
281	30	295	29	291	28	288
	294	294	291	288	285	282
280	31	294	32	291	33	288
	278	278	274	277	277	277

T. 26N, R. 4E. 2nd Mer.

	305	304	304	303	303	303
305	6	324	5	320	4	316
	325	324	321	317	313	309
306	7	325	8	321	9	317
	326	326	322	318	314	310
306	18	327	17	322	16	318
	328	327	323	319	315	311
306	19	328	20	323	21	319
	329	328	323	320	316	312
307	30	329	29	324	28	320
	307	308	308	308	308	309
	31	32	33	34	35	36

☞ The figures on the lines refer to the page.

301

Township N. 20 North, Range N. 4 East 2. Mer. Ind.

Township Lines.
East Boundary.

South on the E. Boundary of Sec. 1

1.50 Road from Marion to Peru, NW

7.50 a Beech 24 in. dia.

40.00 set of sec. post from which

a Sugar 18 in. dia. bears N 24° W 35 W. dist. 8,

a Beech 15 " " " S 29° W 39 " "

48.46 a Beech 22 " "

63.82 a Do 10 " "

67.62 a stream 8 W. wide course E.

80.00 set post cor. of sec. 1 & 12 from which

a Sugar 14 in. dia. bears N 23° E 13 W. dist. 8,

a Do 14 " " " S 3° W 52 " "

Land rolling N. E. side. Timber Beech, Sugar,
Oak, Ash, Poplar & No Hgr.

South on the E. Boundary of Sec. 12

7.50 a Poplar 18 in. dia.

8.00 a stream 8 W. wide course N. of N.

9.00 same stream E. of N.

31.13 a B. Oak 24 in. dia.

40.00 set of sec. post from which

a Water Beech 6 in. dia. bears N 66° W 33 W. dist. 8

a W. Oak 5 " " " S 89° W 23 " "

53.20 a W. Oak 15 " "

63.16 a Do 48 " "

80.00 Ironwood 3 ^{in. dia.} cor. of sec. 12 & 13 from which

a B. Oak 40 in. dia. bears N 42° W 25 W. dist. 8

a Sugar 14 " " " S 28° W 22 " "

Land level 2. E. side. Timber Beech, Oak,
Elm, Sugar, Ash, Poplar. Heavy Wp. of young
Sugar & Spice

South on the E. Boundary of Sec. 13

3.54 a Hickory 24 in. dia.

T. 26 N., R. 4 E., S. 2. Mer. Ind.^a
Chs. Sk.

16.34 a Beech 24 in. dia.
40.00 set of sec. post from which
a Hickory 28 in. dia. bears N 58° W 33 Mk. dist. 8
a B. Oak 12 " " " S 72° W 24 " "
60.88 a Beech 20 " "
73.05 a Water Beech 5 in. dia.
80.00 set post cor. of sec. 13 & 24 from which
a Beech 38 in. dia. bears N 50° W 56 Mk. dist. 8
a W. Oak 12 " " " S 51° W 32 " "
Level 2^d rate land. Timber Beech, Oak, Hick-
ory, Walnut, Sugar. Heavy Ulp. of Juniper
young Sugar & Spice

South on the E. Boundary of Sec. 24

8.83 a Buckeye 20 in. dia.
19.20 a stream 30 Mk. wide course W
20.77 an Indian trace, NW
28.65 a Sugar 28 in. dia. An Indian Sugar camp
34.94 a stream 4 Mk. wide course NW
40.00 set of sec. post from which
a Beech 14 in. dia. bears N 55° W 5 Mk. dist. 8
a Sugar 28 " " " S 51° W 49 " "
60.33 a Hickory 18 " "
80.00 set post cor. of sec. 24 & 25 from which
a Spruce 36 in. dia. bears N 76° W 5 Mk. dist. 8
a Beech 14 " " " S 71½° W 19 " "
Land gently rolling 2^d rate. Timbered Beech
Sugar, Oak, Ash, Hickory & Ulp. Spice, Sugar.

South on the E. Boundary of Sec. 25

12.67 Intersect S. Boundary of Cession, set post
from which
a Beech 22 in. dia. bears N 60° W 35 Mk. dist. 8
a Spr 18 " " " N 64° E 24 " "
Land level 2^d rate.

T. 26 N., R. 4 E. 2^d Mer. Ind. a.
Chas. L. M.

North Boundary.

West on the S. Boundary of Sec. 36, T. 27 N., R. 4 E
20.98 a Sugar 16 in. dia.
23.25 Road from Marion to Peru NW
31.85 a Sugar 28 in. dia.
40.00 set of sec. post from which
a Beech 24 in. dia. bears N 58 E 20 W. dist. 8
a Do 12 " " " N 68 W 7 " "
45.22 a Stream 14 W. wide course NE
58.12 a Beech 22 in. dia.
74.50 a Stream 18 W. wide course NW
80.00 set post cor. of sec. 35 & 36 from which
a Beech 24 in. dia. bears N 34 E 46 W. dist. 8
an Elm 20 " " " N 33 W 35 " "
First quarter mile broken, last 3/4 mile
rolling T. rate land. Timber Beech,
Sugar, Oak, Walnut, Hickory & No Upr.

West on the S. Boundary of Sec. 35, T. 27 N., R. 4 E
21.74 a Beech 14 in. dia.
34.00 a Stream 8 W. wide course N.
40.00 set of sec. post from which
a Hickory 24 in. dia. bears N 12 E 17 W. dist. 3
a Do 14 " " " N 52 E 47 " "
43.53 a Beech 18 " "
55.88 a Stream 12 W. wide course N.
69.14 a Beech 20 in. dia.
80.00 set post cor. of sec. 34 & 35 from which
a Beech 36 in. dia. bears N 28 E 23 W. dist. 8
a Cherry 6 " " " N 55 W 15 " "
Land rolling & good 2^d rate. Timber Beech,
Oak, Hickory, Ash & Upr. Spruce, young
Sugar, Ironwood May 27. 1839

West on the S. Boundary of Sec. 34, T. 27 N., R. 4 E
10.47 a Stream 8 W. wide course N.

T. 20 N., R. 4 E. 2. Mer. Ind.^a

Chs. Sk.

14.78 a Beech 20 in. dia.

16.61 a Stream 40 yds. wide course N.

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 2 E 12 yds. dist. &

a Do 22 " " " N 37 W 64 " "

51.12 a Stream 5 yds. wide course N.

58.36 a W. Oak 28 in. dia.

77.84 a Stream 12 yds. wide course N.

80.00 set post cor. of sec. 33 & 34 from which

a Sugar 14 in. dia. bears N 48 W 12 yds. dist. &

a W. Walnut 12 " " " N 60 E 37 " "

Land rolling & good 2^d rate. Timber Beech,
Oak, Sugar, Walnut, Lym & Vlp. Spice &

West on the S. Boundary of Sec. 33, T 27 N, R 4 E

22.98 an Ironwood 5 in. dia.

40.00 set of sec. post from which

a Beech 36 in. dia. bears N 44 E 16 yds. dist. &

an Ironwood 12 " " " N 35 W 36 " "

49.28 a Beech 24 " "

66.40 a W. Oak 6 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 20 in. dia. bears N 28 E 60 yds. dist. &

a Do 22 " " " N 9 W 47 " "

Land hilly 2^d rate, broken by deep ravines.Timber Beech, Oak & Vlp. Spice, Ironwood,
Dogwood & young Sugar. May 28. 1839

West on the S. Boundary of Sec. 32, T 27 N, R 4 E

12.31 a Buckeye 14 in. dia. Enter Godfrey's field
near his mill N 80 E, S 80 W

20.67 leave field, N 80 E, S 80 W

27.85 Little Pipe Creek 40 yds. wide course N.

About 15 E. below Godfrey's Mill

36.20 a Spring branch 5 yds. wide course N.

40.00 set of sec. post from which

Chas. J. M. T. 26 N., R. 4 E. 2. Mer. Ind.^a

a Buckeye 16 in. dia. bears N 63 E 41 W. dist. 8
 a Beech 28 " " " N 189 W 62 " "
 47.02 a Beech 24 " "
 67.84 an Ironwood 9 " "
 80.00 set post cor. of sec. 31 & 32 from which
 a Beech 40 in. dia. bears N 43 9 W 18 W. dist. 8
 a Do 28 " " " N 45 E 92 " "
 Land hilly 2^d rate. Timber Beech, Oak, Sugar &c.

West on the S. Boundary of Sec. 31, T 27 N, R 4 E
 12.88 a Beech 14 in. dia.
 40.00 set gr. sec. post from which
 a Beech 24 in. dia. bears N 36 E 28 W. dist. 8
 a Do 36 " " " N 43 9 W 60 " "
 53.13 a Beech 14 " "
 65.94 a Do 9 " "
 69.95 set post cor. of T. 26 & 27 N, R. 3 & 4 E. from which
 a Beech 30 in. dia. bears N 44 E 44 W. dist. 8
 a Do 12 " " " N 73 9 W 22 " "
 Land level 2^d rate. Timber Beech, Oak, Ash
 &c. Upr. Spice, young Sugar &c.

West Boundary.
 South on the E. Boundary of Sec. 1, T 26 N, R 3 E.
 10.67 a Beech 20 in. dia.
 28.32 a Do 10 " "
 39.00 a Stream 15 W. wide course NW
 40.00 set gr. sec. post from which
 a Buckeye 18 in. dia. bears N 7 9 W 15 W. dist. 8
 a Beech 14 " " " S 58 E 17 " "
 47.70 a Stream 10 W. wide course NE
 49.24 an Ash 20 in. dia.
 66.50 a Walnut 6 " "
 80.00 a W. Oak 36 " " corner tree for sec. 1 & 12
 Land rolling 2^d rate. Timber Beech, Oak,
 Sugar, Ash, Elm, Walnut, Hickory, Sycamore.

T. 20 N., R. 4 E. 2^d Mer. Ind.^h
 Chas. Spr.

Upr. Spice, Hard V. May 30. 1839

South on the E. Boundary of Sec. 12, T. 20 N., R. 3 E

12.12 a Sugar 18 in. dia.

33.30 a Beech 30 " "

40.00 set of sec. post from which

a Sugar 18 in. dia. bears North of Ws. dist. 8

a Do 10 " " " N 84° W 21 " "

52.10 a Sugar 40 " "

71.25 a W. Oak 30 " "

80.00 set post cor. of sec. 12 & 13 from which

an Elm 24 in. dia. bears N 89° W 35 Ws. dist. 8

a Beech 15 " " " S 46° W 42 " "

Land rolling 2^d rate. Timber Beech, Sugar,
 Oak, Ash, Elm, Hickory & Upr. Spice &c.

South on the E. Boundary of Sec. 13, T. 20 N., R. 3 E

18.80 a Maple 18 in. dia.

30.40 a Beech 8 " "

38.75 a Stream 10 Ws. wide course SW

40.00 set of sec. post from which

a Sugar 15 in. dia. bears N 72° W 10 Ws. dist. 8

an Ash 18 " " " S 27° W 54 " "

61.02 a Beech 18 " "

70.21 a Syc 36 " "

80.00 set post cor. of sec. 13 & 24 from which

a B. Oak 18 in. dia. bears N 7° W 18 Ws. dist. 8

an Ash 15 " " " S 59° W 48 " "

Land rolling 2^d rate. Timber Beech, Sugar,
 Oak, Elm, Ash, Hickory, Poplar, Syc &
 Upr. Spice, Ironwood &c.

South on the E. Boundary of Sec. 24, T. 20 N., R. 3 E

10.38 a Beech 12 in. dia.

30.96 a Do 14 " "

40.00 set of sec. post from which

Chs. 10. T. 20 N., R. 4 E. 2^d Mer. Ind.^a

an Ironwood 14 in. dia. bears N 61° W 39° W, dist. 8,
 a Beech 24 " " " S 32° W 81 " "
 54.82 an Elm 18 " "
 72.09 a W. Oak 14 " "
 75.00 Pipe Creek, course N 50° W
 77.50 over Creek
 80.00 set part cor. of sec. 24 & 25 from which
 a Beech 20 in. dia. bears N 33° W 20° W, dist. 8
 an Ironwood 10 " " " S 58° W 18 " "
 Land rolling drich. Timber Beech, Sugar
 Oak, Ash, Elm, Walnut, Poplar & Spice &c.

South on the E. Boundary of Sec. 25, T. 20 N., R. 3 E

7.95 a Beech 10 in. dia.
 11.00 a Stream 20 Ws. wide course E.
 16.00 same Stream course NW
 18.18 Intersect S. Boundary of Section & set post in
 the Creek from which
 a W. Oak 24 in. dia. bears N 24° E 60° W, dist. 8
 a Beech 12 " " " N 46° W 24 " "
 (Description of land omitted) June 1. 1839

South Boundary line of the Miami
 cession of November 6. 1838

Cross on the 7th Mile

3.50 To Pipe Creek 118 Ws. wide course N 50° E
 rapid and Rock bottom & bold banks.
 10.00 over Pipe Creek. An Indian Village contain-
 ing about 10 houses, half on each side of the line
 27.57 a W. Oak 14 in. dia.
 37.00 a Spring a few rods N. of line
 52.50 a Beech 8 in. dia.
 60.00 a Brook 3 Ws. wide course S.
 80.00 7 Miles. Land rolling T.^h rate. Timber
 Sugar, Beech, Walnut, Elm, Ash &c. The ground
 on each side of the Creek for about $\frac{3}{4}$ mile

T. 20 N., R. 4 E. 2^d Mer. Ind. a
Chr. Sp.

Slopes gently towards the creek

East 8th Mile

- 0.50 a Stream 18 Ws. wide
12.72 a Beech 30 in. dia.
45.00 a Stream 3 Ws. wide course S.
52.44 a Beech 14 in. dia.
55.00 a Stream 4 Ws. wide course S.
63.44 a Beech 20 in. dia.
80.00 8 Miles, set temp. post
Land rolling 1st rate. Timber Sugar, Beech,
Walnut, Oak, Elm &c

East on 9th Mile

- 38.39 a Beech 10 in. dia.
40.25 a Stream 5 Ws. wide course S.
57.00 a Do 8 " " " SW
72.32 a Hickory 40 in. dia.
80.00 9 Miles, set temp. post
Land rolling & good. Timber Beech, Oak,
Hickory, Sugar, Walnut, Poplar

East on 10th Mile

- 12.70 a Beech 40 in. dia.
50.95 a Bur Oak 48 " "
63.29 a Sugar 12 " "
78.50 an Indian trace, much travelled, N.
80.00 10 Miles, set temp. post
Land level 3rd rate. Timber Oak, Beech, Hickory,
Gym, Elm, Ash &c

East on 11th Mile

- 10.90 an Elm 15 in. dia.
49.46 a Beech 24 " "
55.50 an Indian trace, N.
67.84 a Gym 18 in. dia.

309

Chas. L. N. T. 20 N., R. 4 E. 2^d Mer. Ind^a

80.00 11 Miles, set temp. post
Middle of the mile rolling good land. First
& last parts level sweet. Timber Oak, Hickory,
Elm, Beech &c.

East on 12th Mile

18.28 a gray Ash 18 in. dia.

30.50 an Indian trace, N.

41.84 a Hickory 36 in. dia.

58.88 a Lynn 18 " "

80.00 12 Miles, set temp. post

Land level 2^d rate. Timber Beech, Oak,
Hickory, Elm, Ash, Lynn &c. Upr. Spice, Sugar &c.

May 10. 1839

Chauncy Carter

Deputy Surveyor.

Subdivision.

Commenced on the 9th and completed on
the 19th of September 1839.

South between Sec. 1 & 2

10.55 a Sugar 15 in. dia.

28.89 a Beech 12 " "

40.00 set q. sec. post from which

a Bur Oak 12 in. dia bears N 70 E 2 1/2 M. dist. 2

a Beech 18 " " " S 44 W 36 " "

50.22 a Beech 14 " "

71.83 a Do 20 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 18 in. dia bears S 50 E 18 M. dist. 2

a Do 22 " " " N 49 E 30 " "

Land rolling 2^d rate. Timber Beech, Oak,
Sugar, Hickory, Ash, Elm, Walnut &c.
Upr. Spice &c.

September 9. 1839

East on Random between Sec. 1 & 12

25.70 a Stream 10 M. wide course N E.

T. 26 N., R. 4 E., T. 2 Mer. Ind.^a
Ch. 10.

78.00 a Stream 100 yds. wide course N.
80.38 Intersect E. Boundary 22 yds. N. of post—
Land rolling & good 2nd rate. Timber Beech,
Sugar, Oak, Elm, Ash, Hickory, Sycamore &
Upr. Spice &c.

West Correlated between Sec. 10 & 12

11.28 a Beech 18 in. dia.
30.09 a W. Oak 40 " "
40.19 set of sec. post at aver. dist. from which
a Sugar 18 in. dia. bears N 38—16 yds. dist. &
a Beech 12 " " " S 49 W 23 " "
47.98 a Sugar 24 " "
70.49 a Beech 20 " "
80.38 to sec. cor.

South between Sec. 11 & 12

14.22 a Beech 28 in. dia.
29.77 a Hickory 18 " "
40.00 set of sec. post from which
a Beech 15 in. dia. bears N 19 E 14 yds. dist. &
a Walnut 18 " " " S 13 E 40 " "
50.48 a Sugar 15 " "
73.98 a Beech 18 " "
80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Hickory 12 in. dia. bears N 60 W 40 yds. dist. &
a Beech 18 " " " S 65 E 34 " "
Land level 2nd rate. Timber Beech, Hickory,
Sugar, Oak, Elm, Ash, Walnut, Sycamore &
Upr. Spice, Ironwood &c.

East on Random between Sec. 12 & 13

80.22 Intersect E. Boundary 9 yds. N. of post—
Land level 2nd rate. Timber Beech, Oak, Hick-
ory, Ash, Sugar, Elm, Sycamore & Upr. Spice,
Ironwood &c.

Ch. 10.

West Corrected between Sec. 12 & 13
 11.72 a Poplar 40 in. dia.
 25.73 an Elm 18 " "
 40.11 set of sec. part at aver. dist. from which
 a Beech 24 in. dia. bears N 64° W 21 Ws. dist. 8
 a Do 28 " " " S 44° W 31 " "
 47.91 a Sugar 12 " "
 70.05 a W. Oak 20 " "
 80.22 to sec. cor.

South between Sec. 13 & 14
 14.82 a Sugar 20 in. dia.
 27.92 a Beech 28 " "
 40.00 set of sec. part from which
 a Beech 12 in. dia. bears N 45° E 23 Ws. dist. 8
 a Do 30 " " " N 35° W 21 " "
 53.90 a Beech 18 " "
 66.19 a Linn 12 " "
 68.00 a Stream 30 Ws. wide course NW
 80.00 set part cor. of Sec. 13, 14, 23 & 24 from which
 a Buckeye 12 in. dia. bears N 3° W 14 Ws. dist. 8
 an Elm 14 " " " S 82° E 7 " "
 North half mile level, South half mile
 rolling T. rate land. Timber Beech, Sugar,
 Ash, Walnut, Oak, Elm, Hickory, Linn &
 Wyr. Spice, Pawpaw & Sept. 10. 1839

East on Random between Sec. 13 & 24
 52.50 a Stream 30 Ws. wide course NW
 80.50 Intersect E. Boundary 12 Ws. N. of part—
 Land rolling T. rate. Timber Beech,
 Sugar, Buckeye, Hackberry, Ash, Oak,
 Hickory. Wyr. Spice, Pawpaw &

West Corrected between Sec. 13 & 24
 13.10 a W. Oak 14 in. dia.

T. 20 N., R. 4 E. 2^d. Mer. Ind^a.
 Chs. Spr.

- 27.18 a Buckeye 14 in. dia.
 40.25 set g. sec. post at aver. dist. from which
 a Sugar 24 in. dia. bears S10°W 24 Ws. dist. 8
 an Elm 22 " " " N32°W 27 " "
 47.92 a W. Oak 40 " "
 65.98 an Elm 12 " "
 80.50 to sec. cor.

South between Secs. 23 & 24

- 10.02 a Beech 12 in. dia.
 33.41 a Hickory 28 " "
 40.00 set g. sec. post from which
 an Ash 28 in. dia. bears N33°E 33 Ws. dist. 8
 an Elm 20 " " " S17°E 42 " "
 54.12 a Beech 18 " "
 60.32 a Buckeye 10 " "
 80.00 set post cor. of secs. 23, 24, 25 & 26 from which
 a Beech 14 in. dia. bears N24°W 8 Ws. dist. 8
 a Do 15 " " " S69°E 28 " "
 North half mile rolling & T^h rate land, South
 half mile level swt. Timber Beech, Sugar, Oak,
 Elm, Ash, Hickory &c. Upr. Spice &c.

East on Ransom between Secs. 24 & 25

- 80.70 Intersect E. Boundary 23 Ws. N. of post—
 Land level swt. Timber Oak, Ash, Elm, Lym,
 Sycamore, Hickory, Sugar &c. Upr. Spice, P. Ash &c.

West Corrected between Secs. 24 & 25

- 15.80 a Lym 28 in. dia.
 27.05 a Poplar 80 "
 40.35 set g. sec. post at aver. dist. from which
 a Maple 24 in. dia. bears S53°E 8 Ws. dist. 8
 a Hickory 12 " " " N7°E 33 " "
 52.12 a Hickory 18 " "
 68.82 an Ash 12 " "
 80.70 to sec. cor.

Complete

T. 20 N., R. 4 E. 2^d. Mer. Ind^a.
Chs. Sp^r.

South between Secs. 25 & 26

13.58 Intersect S. Boundary of Cession, set post from
which an Ash 30 in. dia. bears N40°W50th Mer. dist. 8,
a Beech 24 " " " S85°E13 " "
Land level dirt. September 11. 1839.

South between Secs. 2 & 3

16.12 a Beech 18 in. dia.

28.76 a Hickory 36 " "

40.00 set of sec. post from which
an Ash 12 in. dia. bears N26°W32th Mer. dist. 8,
a Dr 10 " " " S54°E17 " "

53.62 a Beech 24 " "

55.00 a Stream 7th Mer. wide course NW

68.22 a Gum 10 in. dia.

80.00 set post cor. of secs. 2, 3, 10 & 11 from which
a Maple 30 in. dia. bears S9°W54th Mer. dist. 8,
an Elm 18 " " " N8°E59 " "
Land rolling 2^d rate. Timber Beech, Sugar,
Oak, Elm, Ash, Hickory, Gum & Spice &c.

East on Random between Secs. 2 & 11

11.15 a Stream 7th Mer. wide course NW

80.65 Intersect N. & S. line 7th Mer. S. of post—
Land level 2^d rate. Timber Beech, Oak,
Elm, Hickory, Sugar, Ash & Wp. Spice &c.

West Corrected between Secs. 2 & 11

13.97 a Beech 40 in. dia.

40.33 set of sec. post at aver. dist. from which
a Poplar 20 in. dia. bears N78°E11th Mer. dist. 2,
a Beech 20 " " " S66°W49 " "

55.77 a Beech 18 " "

71.52 a Dr 36 " "

80.65 to sec. cor.

T. 26 N., R. 4 E., 2^d Mer. Ind.^a
 Chas. J. W.

South between Sec. 10 & 11

19.05 a Beech 15 in. dia.

30.56 a Do 12 " "

40.00 set g. sec. post from which

a Sugar 36 in. dia. bears S 32 E 4 W. dist. 8

a Beech 18 " " " S 73 W 48 " "

52.89 a Beech 20 " "

66.97 a W. Oak 10 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a W. Oak 30 in. dia. bears S 46 E 5 W. dist. 8

a Sugar 10 " " " N 19 W 10 " "

Land rolling 2^d rate. Timber Beech, Oak,
 Hickory, Sugar, Elm, Ash, Gum & Upr. Spice,
 Ironwood, Hawth & young Sugar.

East on Random between Sec. 11 & 14

80.41 Intersect N & S. line 22 W. N. of post -

Land rolling 2^d rate. Timber Beech, Oak,
 Sugar, Hickory, Ash, Elm, Gum & Upr. Spice,
 Ironwood, Water Beech & young Sugar

West Corrected between Sec. 11 & 14

10.05 a Beech 10 in. dia.

25.64 a Do 12 " "

40.21 set g. sec. post at aver. dist. from which

a Beech 14 in. dia. bears N 6 E 35 W. dist. 8

a Do 10 " " " S 57 E 43 " "

50.31 an Ironwood 10 " "

71.41 a W. Oak 24 " "

80.41 to sec. cor.

South between Sec. 14 & 15

11.47 a Sugar 36 in. dia.

19.00 a Stream 30 W. wide course NW

29.28 an Ash 24 in. dia.

40.00 set g. sec. post from which

T. D. N., R. H. E. L. Mer. Ind. a.
 C. W. E. H.

an Ironwood 10 in. dia. bears N 36° W 11 W. dist. 8
 a Beech 10 " " " S 41° W 29 " "
 53.83 a Beech 20 " "
 65.70 a Dr 24 " "
 80.00 set post cor. of sec. 14, 15, 22 & 23 from which
 a Beech 18 in. dia. bears N 72° W 11 W. dist. 8
 an Ironwood 10 " " " S 54° E 22 " "
 Land rolling T. rate. Timber Beech, Sugar,
 Ash, Buckeye, Gum, Oak, Hickory &
 Wgs. Spice, Pawpaw &

East on Random between Sec. 14 & 23

80.09 Intersect N & S. line of W. N. of post—
 Land rolling & T. rate. Timber Beech, Sugar,
 Ash, Oak, Elm, Hickory, Gum & Spice, Pawpaw &

West Connected between Sec. 14 & 23

11.06 an Ironwood 6 in. dia.
 27.40 a Hickory 6 " "
 40.35 set of sec. post at aver. dist. from which
 a Beech 18 in. dia. bears N 73° E 13 W. dist. 8
 a Dr 18 " " " N 47° W 25 " "
 51.72 a Hickory 12 " "
 67.32 an Ash 18 " "
 80.09 to sec. cor. September 12. 1839

South between Sec. 22 & 23

2.00 enter Willow Swamp, ESW
 7.50 leave Dr
 11.07 a Bur Oak 12 in. dia.
 27.14 a W. Oak 18 " "
 40.00 set of sec. post from which
 a Beech 15 in. dia. bears N 7° W 20 W. dist. 8
 a B. Oak 18 " " " S 11° E 32 " "
 49.85 a Beech 24 " "
 70.67 an Ash 30 " "

T. 20 N., R. 4 E. 2^d Mer. Ind.th
 Chs. Cr.

80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 an Ash 10 in. dia. bears N 14 E 8 Ws. dist. 4
 a Bur. Oak 24 " " S 22 E 56 " "
 Land level & wet. Trinker Beech, Oak, Elm,
 Sugar, Ash, Hickory, Lym. & Wgs. Spice,
 Ironwood, young Sugar &c.

East on Random between Sec. 23 & 26

80.69 Intersect N. S. line 20 Ws. N. of post -
 Land level & wet. Trinker Beech, Oak, Elm,
 Hickory, Ash, Sugar, Lym. & Wgs. Spice, Hw.,
 Prickly Ash &c.

West Corrected between Sec. 23 & 26

11.77 an Ash 18 in. dia.

28.81 a Do 16 " "

40.35 set of sec. post at aver. dist. from which
 a Lym 12 in. dia. bears N 24 W 10 Ws. dist. 8
 a Beech 28 " " S 28 E 43 " "

51.49 an Ironwood 8 in. dia.

66.72 a Beech 12 " "

80.69 to sec. cor.

South between Sec. 26 & 27

14.67 Intersect South Boundary of cession, set
 post from which
 an Ironwood 10 in. dia. bears N 17 E 1 Ws. dist. 4
 a Sugar 18 " " S 9 W 38 " "
 Land level & wet. September 13, 1839

South between Sec. 3 & 4

10.68 Intersect S. Boundary of Grant N. 7, set
 post from which
 a Sugar 12 in. dia. bears N 60 E 33 Ws. dist. 8
 a Do 18 " " S 32 W 26 " "
 Measured along said S. Boundary, East

38.66 Ch. to the S.E. corner thereof.
 32.72 a Hickory 6 in. dia.
 40.00 set of sec. post from which
 an Elm 14 in. dia. bears S 57° W 320 Yds. dist. S
 a Buckeye 18 " " " S 82° E — " "
 49.67 a Beech 28 " "
 65.93 a Poplar 40 " "
 80.00 set post cor. of sec. 3, 4, 9 & 10 from which
 a Beech 28 in. dia. bears N 64° E 40 Yds. dist. S
 a Hickory 8 " " " N 47° W 24 " "
 North half mile land broken, South half
 mile rolling & good. Timber same as in the
 adjacent lines.

East on Random between Sec. 3 & 10

80.44 Intersect N & S line 32 Yds. S. of post —
 Land rolling & rate. Timber Beech, Oak,
 Sugar, Ash, Elm, Hickory, Lym & Upr.
 Spice, Ironwood &c.

West Connected between Sec. 3 & 10

11.20 a Beech 36 in. dia.
 27.89 an Ironwood 6 in. dia.
 40.22 set of sec. post at aver. dist. from which
 an Ironwood 12 in. dia. bears N 81° E 9 Yds. dist. S
 an Ash 14 " " " N 85° W 24 " "
 50.50 a Beech 20 " "
 66.07 a Do 18 " "
 80.44 to sec. cor.

South between Sec. 9 & 10

13.03 a Beech 24 in. dia.
 27.07 an Ironwood 10 in. dia.
 40.00 set of sec. post from which
 a Beech 15 in. dia. bears N 49° W 58 Yds. dist. S
 a Do 18 " " " S 36° W 31 " "

T. 20 N., R. 4 E., T. 1 Mer. Ind.^a
Chs. Sp.

49.00 Little Pipe Creek 40 Ws. wide course NW
59.05 an Ash 28 in. dia.
72.21 an Ironwood 6 in. dia.
80.00 set post cor. of sec. 9, 10, 15 & 16 from which
an Ash 36 in. dia. bears N 22 W 8 Ws. dist. 8
a Sugar 30 " " " S 77 E 22 " "
Land rolling T^h rate. Timber Beech,
Sugar, Walnut, Ash, Oak, Elm, Hickory &
Wyr. Spice, Pawpaw &c.

East on Random between Sec. 10 & 15

37.00 Little Pipe Creek 40 Ws. wide course NW
39.00 same stream course SW
47.00 Do Do " NW
80.74 Intersect N. E. line at post—
Land rolling T^h rate. Timber Beech, Sugar,
Walnut, Oak, Ash & Wyr. Spice, Pawpaw &c.

West marked line back betw. Sec. 10 & 15

13.09 an Elm 18 in. dia.
26.12 a Walnut 15 " "
40.37 set g. sec. post at aver. dist. from which
a Sugar 20 in. dia. bears N 16 W 12 Ws. dist. 8
a Buckeye 18 " " " S 59 E 35 " "
49.64 a Lynn 24 " "
67.41 an Ironwood 10 in. dia.
80.74 to sec. cor.

South between Sec. 15 & 16

21.07 a Beech 20 in. dia.
33.33 a W. Oak 18 " "
46.00 set g. sec. post from which
a Beech 18 in. dia. bears S 70 W 20 Ws. dist. 8
a Lynn 10 " " " N 44 E 12 " "
48.26 an Elm 48 " "
72.77 a Beech 18 " "

319

T. 26 N., R. 4 E. 2^d Mer. Ind.^a
 Ch. 1st 1st

80.00 set port cor. of sec. 15, 16, 21 & 22 from which
 a Sugar 18 in. dia. bears N 39° W 31 W. dist. 8
 an Ash 20 " " " N 40 E 25 " "
 Land rolling & good 2^d rate. Timber Beech,
 Sugar, Ash, Oak, Elm, Hickory, Gum &
 Upr. Spice & September 13. 1839

East in Random between Sec. 15 & 22

80.90 Intersect N & S line 22 W. S. of port —
 Land rolling good 2^d rate. Timber Beech, Oak,
 Sugar, Ash, Walnut, Elm, Poplar & Upr.
 Spice, Ironwood &

West: Connected between Sec. 15 & 22

11.96 a Beech 12 in. dia.
 27.62 a Sugar 18 " "
 40.45 set g. sec. port at avor. dist. from which
 a Beech — in. dia. bears N 8° W 11 W. dist. 8
 a Sugar 22 " " " S 33° W 32 " "
 51.03 a Beech 40 " "
 71.10 a Dogwood 6 " "
 80.90 to sec. cor.

South between Sec. 21 & 22

11.96 an Ash 24 in. dia.
 31.00 a Beech 10 " "
 40.00 set g. sec. port from which
 a Beech 8 in. dia. bears N 7° E 23 W. dist. 8,
 a Do 12 " " " S 20 E 9 " "
 55.25 a Beech 30 " "
 70.15 an Ironwood 12 in. dia.
 80.00 set port cor. of sec. 21, 22, 27 & 28 from which
 an Ironwood 14 in. dia. bears N 19° W 26 W. dist. 8,
 a Beech 28 " " " S 86 E 26 " "
 Land rolling good 2^d rate. Timber Beech,
 Sugar, Ash, Oak, Walnut, Elm, Hickory, Gum &

T. 26 N., R. 4 E. 2. Mer. Ind. ^a
 Ch. Sp.

Upr. Spice &c.

East on Random between Sec. 22 & 27

81.00 Intersected N. S. line at post -

Land level dry & good L. oak, Timber Beech,
 Sugar, Oak, Ark, Walnut, Hickory, Elm,
 Sycamore Upr. Spice, Ironwood &c.

West Connected between Sec. 22 & 27

11.00 a Sugar 20 in. dia.

27.91 a Beech 18 " "

40.50 set of sec. post at aver. dist. from which
 a Hickory 12 in. dia. bears N 5 E 34 W, dist. 8,
 a Do 9 " " " S 15 E 7 " "

51.12 an Ark 14 " "

68.14 a Do 12 " "

81.00 to sec. cor.

South between Sec. 27 & 28

15.43 Intersected S. Boundary of Cession, set post
 from which

a Beech 10 in. dia. bears N 36 W 38 W, dist. 8

a Do 28 " " " S 49 E 12 " "

Land rolling & good. September 4. 1839

South between Sec. 4 & 5

20.64 Intersected S. Boundary of Grant N. 8, set post
 from which

a Beech 24 in. dia. bears N 30 E 13 W, dist. 8

a Do 16 " " " S 9 W 8 " "

Measured East along said S. Boundary

15.58 Chrs. to the S. E. corner thereof

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 70 W 15 W, dist. 8

a Do 18 " " " N 82 W 20 " "

52.50 a stream 40 Ws. wide corner NW

321

T. 26. N., R. 4 E. 2. Mer. Ind. a
 Exp. 1st.

55.10 an Ironwood 10 in. dia.
 09.59 a Beech 18 in. dia.
 80.00 set post cor. of sec. 4, 5, & 9 from which
 an Elm 15 in. dia. bears N 57 E 10 Ws. dist. 8
 a Hickory @ : : : S 83 W 15 : :
 Land rolling & good.

East on Random between Sec. 4 & 9
 25.00 Little Pipe Creek 40 Ws. wide course N.
 80.56 Intersect N. & S. line 17 Ws. S. of post—
 Land rolling & good 2nd rate. Timber Beech,
 Sugar, Walnut, Oak, Ash, Elm, Hickory &
 W. Spr. Spice &c.

West Corrected between Sec. 4 & 9
 15.70 an Elm 6 in. dia.
 30.51 a Beech 20 : :
 40.00 set q. sec. post at aver. dist. from which
 a Beech 20 in. dia. bears N 48 E 32 Ws. dist. 8
 a Do 10 : : : S 50 W 40 : :
 51.03 a Beech 24 : :
 65.54 a Lym 24 : :
 80.56 to sec. cor.

South between Sec. 8 & 9
 15.53 a Beech 28 in. dia.
 35.90 a Do 15 : :
 40.00 set q. sec. post from which
 a Walnut 18 in. dia. bears S 36 E 19 Ws. dist. 8
 an Ash 28 : : : N 51 W 53 : :
 51.43 an Ironwood 6 : :
 68.43 a Beech 15 : :
 80.00 set post cor. of sec. 8, 9, 10 & 17 from which
 an Elm 30 in. dia. bears N 66 W 14 Ws. dist. 8
 a Beech 20 : : : S 77 E 25 : :
 North half mile rolling 1st rate land.

T. 20 N., R. 4 E. 2. Mer. Ind. ^a
 Ch. 1. Sec. 1

South half mile level 2. rate. Timber Beech,
 Sugar, Walnut, Oak, Ash, Elm, Hickory
 S. Upr. Spice &c.

East in Random between Sec. 9 & 10

35.50 a Stream 10 Mts. wide course N.

80.78 Intersected N. 5. line 22 Mts. S. of post -

Land rolling good 2. rate. Timber Beech, Sugar,
 Oak, Ash, Elm, Walnut, Hickory, Lym &c.
 Upr. Spice &c.

West Corrected between Sec. 9 & 10

12.03 a Beech 36 in. dia.

29.98 an Ironwood 10 in. dia.

40.39 set g. sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 62 E 23 Mts. dist. S.

an Ash 28 " " " S 82 W 20 " "

52.21 a Sugar 6 " "

65.96 a Poplar 20 " "

80.78 to Sec. cor. September 15. 1839

South between Sec. 10 & 17

10.49 a Sugar 18 in. dia.

27.14 a Do 20 " "

36.00 a Stream 15 Mts. wide course NW

40.00 set g. sec. post from which

an Ash 30 in. dia. bears N 53 W 37 Mts. dist. S.

a Beech 18 " " " S 7 E 20 " "

55.63 an Elm 15 " "

67.25 a Beech 6 " "

80.00 set post cor. of sec. 10, 17, 20 & 21 from which

a Beech 18 in. dia. bears N 41 W 60 Mts. dist. S.

an Elm 24 " " " S 86 E 71 " "

Land rolling good 2. rate. Timber Beech,
 Sugar, Oak, Ash, Elm, Walnut, Hickory, Lym
 S. Upr. Spice &c.

323

T. 20 N., R. 4 E., T. 2 Mer. Ind.^a
Ch. 1, 1872

East in Random between Sec. 16 & 21

80.96 Intersect N. & S. line 13 Ws. S. of post -

Land rolling & rate. Timber Beech, Oak,
Sugar, Ash, Elm, Hickory, Poplar, Lym. &
Upr. Spice &c.

West. Corrected between Sec. 16 & 21

13.27 a Beech 15 in. dia.

28.03 an Elm 40 " "

40.48 set of sec. post at aver. dist. from which
a Beech 20 in. dia. bears N 21 W 31 Ws. dist. 8
a Dr 15 " " S 52 E 44 " "

50.07 a Beech 18 " "

63.92 an Ash 36 " "

80.96 to sec. cor.

South between Sec. 20 & 21

11.02 a Beech 14 in. dia.

32.73 a Bur Oak 15 " "

40.00 set of sec. post from which
a R. Oak 24 in. dia. bears N 20 W 23 Ws. dist. 8
a Beech 18 " " S 41 E 23 " "

50.49 a Beech 6 " "

68.71 a Dr 30 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which
a W. Oak 72 in. dia. bears N 43 E 7 Ws. dist. 8
a Beech 18 " " N 88 W 29 " "

Land level & wet. Timber Beech, Oak,
Hickory, Ash, Elm, Lym. &c. Upr. Spice &c.

East in Random between Sec. 21 & 28

80.84 Intersect N. & S. line 23 Ws. S. of post -

West half mile level & wet land, East
half mile rolling & rate. Timber Beech,
Oak, Elm, Ash, Hickory, Poplar, Sugar &c.
Upr. Spice &c.

T. 26 N., R. 4 E. T. 3 Mer. Ind.²
 Elm. Sp.

West Cornered between Sec. 21 & 28

11.40 a Beech 18 in. dia.

27.74 a Do 10 " "

40.42 set of sec. post at aver. dist. from which
 a Beech 10 in. dia. bears N 27° W 20 Mk. dist. 8

a W. Oak — " " " S 63° E 14 " "

47.77 a Lym 28 " "

64.46 a Beech 24 " "

80.84 to sec. cor.

South between Sec. 28 & 29

16.54 Intersect S. Boundary of Cessin, set post
 from which

a Beech 18 in. dia. bears N 25° W 39 Mk. dist. 8

a Do 20 " " " S 26° W 3 " "

Land rolling & good. September 16, 1839

South between Sec. 5 & 6

20.89 Intersect S. Boundary of Grant N. 8, set
 post from which

a Ash 14 in. dia. bears N 30° E 40 Mk. dist. 8

a Hickory 6 " " " S 62° E 39 " "

Measured along said S. Boundary West
 28.30 Ch. to the SW. corner thereof.

40.00 set of sec. post from which

a Sugar 24 in. dia. bears N 16° E 60 Mk. dist. 8

a Beech 18 " " " S 44° E 22 " "

53.64 a Beech 20 " "

69.89 a W. Oak 40 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Sugar 12 in. dia. bears N 49° W 45 Mk. dist. 8

a Cherry 18 " " " S 50° E 41 " "

Land rolling & good.

East on Random between Sec. 5 & 8

66.00 a stream 15 Mk. wide runs N 6

T. 20 N., R. 4 E., 2^d Mer. Ind. a.
Ch. 1st 1st

80.34 Intersect N. & S. line 21 Wks. S. of post -
Land rolling good 2^d rate. Timber Beech, Sugar,
Oak, Ash, Elm, Linn, Hickory & Upr. Spice &c.

West Corrected between Sec. 5 & 8

11.13 a Sugar 10 in. dia.
29.70 a Beech 18 " "
40.17 set q. sec. post at aver. dist. from which
a Beech 22 in. dia. bears N 46° W 22 Wks. dist. 8,
a Do 18 " " " S 40° E 44 " "
53.14 a Beech 18 " "
65.93 a Sugar 15 " "
80.34 to sec. cor.

West on Random between Sec. 6 & 7

69.00 a Stream 10 Wks. wide course N.
71.18 Intersect W. Boundary 13 Wks. N. of post -
Land rolling & rich. Timber Beech, Sugar, Ash,
Oak, Walnut, Hickory, Linn & Upr. Spice,
Pawpaw &c.

East Corrected between Sec. 6 & 7

15.14 a Beech 15 in. dia.
31.18 set q. sec. post from which
a Sugar 12 in. dia. bears N 78° E 15 Wks. dist. 8,
a Walnut 20 " " " S 78° W 34 " "
41.66 a Ironwood 6 " "
53.34 a Walnut 24 " "
71.18 to sec. cor.

South between Sec. 7 & 8

14.93 a Hickory 6 in. dia.
30.39 a W. Oak 24 " "
40.00 set q. sec. post from which
a Beech 18 in. dia. bears N 42° W 48 Wks. dist. 8,
a Sugar 15 " " " S 23° E 29 " "

T. 26 N., R. 4 E. 2. Mer. Ind^a
 Chas. Spr.

51.67 a Beech 12 in. dia.
 72.21 a Do 36 " "
 80.00 set post cor. of Sec. 7, 8, 17 & 18 from which
 a Beech 18 in. dia. bears N 19° W 23 Vks. dist. &
 ashwood 12 " " S 46° W 20 " "
 Land rolling & Tst rate. Timber Beech, Sugar,
 Walnut, Oak, Ash, Elm, Hickory, Sycamore &
 Wgs. Spice, Pawpaw &

East on Random between Sec. 8 & 17

32.50 a Stream 6 Vks. wide course N.
 47.50 a Do 15 " " " NW
 80.60 Intersect N. & S. line 5 Vks. N. of post—
 Land rolling good 2^d rate. Timber Beech,
 Sugar, Oak, Ash, Elm, Hickory, Sycamore & Spice &

West Corrected between Sec. 8 & 17

11.71 a Beech 24 in. dia.
 26.93 an Ash 15 " "
 40.30 set of sec. post at aver. dist. from which
 a Sugar 20 in. dia. bears S 26° W 20 Vks. dist. &
 a Beech 10 " " " N 22° E 36 " "
 52.26 a Do 24 " "
 65.40 a Sugar 30 " "
 80.00 to Sec. cor. September 17. 1839

West on Random between Sec. 7 & 18

46.00 a Stream 6 Vks. wide course N.
 71.22 Intersect W. Boundary 16 Vks. N. of post—
 Land rolling good 2^d rate. Timber same as
 on adjoining lands.

East Corrected between Sec. 7 & 18

Bearings for corner in W. Boundary:
 a Beech 6 in. dia. bears S 30° E 19 Vks. dist. &
 a Maple 10 " " " N 53° E 11 " "

T. 26 N., R. 4 E. 2. Mer. Ind.^a
 Ch. Dr.

11.15 a Beech 18 in. dia.
 31.22 set g. sec. post from which
 a Beech 18 in. dia. bears N56 E 15 W. dist. 2,
 a Do 15 " " " S80 W 28 " "
 47.15 a Sugar 36 " "
 58.29 a Beech 18 " "
 71.22 to sec. cor.

South between Sec. 17 & 18

12.67 an Elm 18 in. dia.
 25.48 a Beech 15 " "
 40.00 set g. sec. post from which
 a Beech 18 in. dia. bears N10 W 37 W. dist. 8,
 a Do 30 " " " S9 W 42 " "
 49.12 a Beech 18 " "
 70.30 an Ash 28 " "
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a Beech 24 in. dia. bears N10 W 12 W. dist. 8,
 a Do 12 " " " S27 E 20 " "
 Land rolling 2^d rate. Timber Beech, Sugar,
 Oak, Ash, Elm, Walnut, Hickory & Spice.

East on Random between Sec. 17 & 20

80.84 Intersect N. & S. line 27 W. S. of post—
 Land rolling & good 2^d rate. Timber Beech,
 Sugar, Oak, Ash, Hickory, Lymbr. Spice &c.

West Connected between Sec. 17 & 20

11.52 a Beech 24 in. dia.
 25.65 a Do 15 " "
 40.42 set g. sec. post at aver. dist. from which
 a Beech 20 in. dia. bears N67 E 17 W. dist. 8,
 a Do 30 " " " S35 W 25 " "
 49.89 a Sugar 15 " "
 68.75 a Do 22 " "
 80.84 to sec. cor.

T. 26 N., R. 4 E., T. 2 Mer. Ind.^a
 Ch^r. St^r.

West on Random between Sec. 18 & 19
 71.28 Intersect W. Boundary 23 M^s. N. of post —
 Land rolling & good. Timber Beech, Sugar,
 Oak, Ash, Elm, Hickory & W^h. Spruce, Pawpaw

East Corrected between Sec. 18 & 19

Bearings for corner in W. Boundary:
 an Elm 14 in. dia. bears S 53 E 20 M^s. dist. 8
 a Do 18 " " " N 32 E 29 " "

23.07 a Cherry 16 " "

31.28 set of sec. post from which
 a Beech 18 in. dia. bears N 61 E 21 M^s. dist. 8
 a Do 24 " " " S 9 E 16 " "

41.40 a Beech 20 " "

55.79 a Do 30 " "

71.28 to sec. cor.

South between Sec. 19 & 20

10.70 a Beech 15 in. dia.

29.73 an Ironwood 6 in. dia.

40.00 set of sec. post from which
 a W. Oak 24 in. dia. bears N 57 W 37 M^s. dist. 8
 a Hickory 12 " " " N 75 E 25 " "

60.70 an Ironwood 6 in. dia.

72.53 a Sugar 36 " "

80.00 set post cor. of Sec. 19, 20, 29 & 30 from which
 a Sugar 12 in. dia. bears N 25 E 27 M^s. dist. 8
 a Beech 24 " " " S 54 W 36 " "

Land rolling with T.^h rate. Timber Beech,
 Sugar, Walnut, Oak, Ash, Elm, Poplar, Linden,
 Hickory & W^h. Spruce, Pawpaw &c.
 September 18. 1839

East on Random between Sec. 20 & 29

25.50 a stream 15 M^s. wide course SW

81.20 Intersect N. & S. line 22 M^s. N. of post —

T. 20 N., R. 4 E. 2. Mer. Ind. a.
Ch. Sp.

Land rolling & good 2^d rate. Timber Beech,
Sugar, Oak, Ash, Elm, Poplar, Hickory & Spice.

West Corrected between Sec. 20 & 29

10.53 an Ash 18 in. dia.

28.31 an Elm 24 " "

40.60 set of sec. port from which

an Ironwood 12 in. dia. bears N 25 E 40 W. dist. 8,

a Do 8 " " " S 74 W 27 " "

49.16 a Poplar 24 " "

64.93 a Beech 20 " "

81.20 to sec. cor.

West on Random between Sec. 19 & 30

15.50 a Stream 10 W. wide course SW

68.00 Pipe Creek

71.35 Intersect N. Boundary 27 W. N. of port—

Land rolling & good. Timber Beech, Sugar,
Ash, Oak, Elm, Poplar, Hickory & W. Spice,
Pawpaw &c.

East Corrected between Sec. 19 & 30

22.18 a Buckeye 6 in. dia.

31.35 set of sec. port from which

a Beech 24 in. dia. bears N 62 E 14 W. dist. 8,

a Sugar 18 " " " S 8 E 23 " "

44.45 a Beech 10 " "

55.11 an Ash 14 " "

71.35 to sec. cor.

South between Sec. 29 & 30

17.48 Intersect S. Boundary of Cession, set port
from which

a Beech 15 in. dia. bears N 63 W 19 W. dist. 8,

an Ironwood 12 " " " N 80 E 12 " "

Land rolling & good. Sept. 19. 1839

T. 26 N., R. 4 E., 2^d Mer. Ind.^a

I certify that in pursuance of a contract with E. S. Haines, Surveyor General of the United States for the State of Ohio, Indiana and Michigan, bearing date the 20th day of April 1839, and in strict conformity with the Laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections Township N^o. 26 North, of Range N^o. 4 East of the 2^d. Principal Meridian in the State of Indiana; And I do further certify that the foregoing are the true and original Field Notes of the said survey and subdivision, executed as aforesaid.

Certified this 25th day of September 1839

Chauncy Carter

Deputy Surveyor.

J. M. Keep } Chain-carriers
John Burts }
Wm. J. Shaver, Marker

I certify that the foregoing transcript of Field Notes of the survey of Township N^o. 26 North, of Range N^o. 4 East of the 2^d. Principal Meridian in the State of Indiana has been compared with the original on file in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, Dec^r. 26. 1844

William Houston
Sur. Genl.

transp.

INDEX MAPS. **T.25N.R.4 E. 2^d Mer.**

414	415	415	416	416	417
420 6	457 5	449 4	442 3	435 2	428 1
458	457	448	441	434	427
420 7	457 8	447 9	440 10	434 11	426 12
456	456	447	440	433	426
419 18	455 17	446 16	439 15	432 14	425 13
454	454	446	439	432	424
419 19	453 20	445 21	438 22	431 23	423 24
452	452	445	437	430	423
418 30	451 29	444 28	437 27	430 26	422 25
451	450	443	436	429	421
418 31	449 32	443 33	436 34	428 35	421 36
409	409	410	410	410	411

T.26N.R.4 E. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
North Boundary of Reservation.					
468 30	476 29	474 28	472 27	470 26	467 25
469	478	475	473	471	469
467 31	477 32	474 33	472 34	470 35	468 36
463	463	464	464	465	465

Claim No. 7. page 480

463.

Township N. 26. N. Range N. 4 E. 2nd Mer. Indiana.
chs. lks.

South Boundary.

Var. 430' E.

- N. 89.50' E. On S. Boundary of Sec. 31
16.70 a Lym 10 in. diam.
20.00 a Road N. & S.
29.50 a Stream 10 lks. wide co. N. E.
37.35 1st 2nd Sec. for p. wh.
a Beech 12 in. diam. B. N. 51 W. 54 lks. &
a Lym 6 " " N. 15 E. 31 "
30.00 a Road N. & S.
60.90 a Hickory 8 in diam.
77.35 1st for Cor. to Sec. 31 & 32 p. wh.
a Beech 8 in. diam. B. N. 21 W. 50 lks. &
a Hickory 10 " " N. 9 E. 28 " "
Land Sur fine rate clay
soil. Beech. Sugar. Lym. W. & B.
Ash. W. & R. Oak. Iron. White wood
Buckeye. P. Ash & Spruce

-
- N. 89.50' E. On S. Boundary of Sec. 32 Var. 420' E.
15.00 a Road N. E. & N. W.
20.50 a Beech 10 in. diam.
40.00 a White Oak 20 " " for 2nd Sec. Cor. p. wh.
a Beech 12 in. diam. B. N. 81 W. 35 lks. &
a Sugar 8 " " N. 15 E. 25 " "
44.00 a Stream 8 lks. wide co. N. E. and
Enter deadening N. & S.
52.00 a Stream 5 lks. wide co. Northward
53.00 Land deadening N. & S.
57.00 Rescued Steep Bank 7 ft N. & S.
59.00 Dry Bed of Stream 10 lks. wide co. Northward
60.58 a Beech 10 in. diam.
80.00 1st for Cor. to Sec. 32 & 33 p. wh.
a W. Ash 15 in. diam. B. N. 55 W. 24 lks. &
a Beech 15 " " N. 77 E. 55 "
Land Sur fine rate rather wet. W. & B. Ash. Elm

T. 26 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.

Sym. Beech, Sugar, Ironw. M. Wood
W. B. Oak, Buckeye &c
Spice & P. Ash.

189.50 On S. Boundary of Sec. 33

23.93 a Beech 12 in. diam.

35.00 Enter Swamp N. & S.

40.00 Set 2nd Sec. post p. wh. in S. 1st Sec.
a Maple 10 in. diam. to N. 60 W. 33 lks.
a W. Oak 10 " " " S. 1 E. 19 "

50.00 Leave Swamp N. & S.

52.05 a Beech 10 in. diam.

62.00 Enter Field N. & S. extending 5.00 each way

67.50 a House 10 lks. N. of Line

68.50 Leave Field N. & S. stream 10.00 N. E.

80.00 Set post Cor. to Sec. 33 & 34 p. wh.
a Beech 12 in. diam. to N. 10 W. 10 lks. &
a W. Ash 10 " " " N. 50 E. 42 "

Land Clear fine rate Clay
soil - Beech, Sugar, W. B. Oak, Sym.
White Wood, Ironw. Buckeye, W. B. Ash.
Spice, P. Ash &c - In Swamp
Maple, Elm, & B. Ash -

189.50 E. On S. Boundary of Sec. 34

20.16 an Ironw. 8 in. diam.

34.00 a Road N. & S.

37.00 a 2nd Sec. N. E. & S. W.

40.00 Set 2nd Sec. post p. wh.
a Beech 15 in. diam. to S. 26 E. 27 lks. &
a Hick. 10 " " " N. 33 W. 19 "

41.00 Bed of Stream 10 lks. wide ca. S. W.

52.00 Post of Strawtown Road N. & S.

59.50 a Beech 12 in. diam.

59.80 Bed of Stream 8 lks. wide ca. Northw.

80.00 Set post Cor. to Sec. 34 & 35 p. wh.

465.

T. 26 N. R. 4 E. 2nd Mer. Indiana.
 ch. lks.

a Beech 15 in. diam. ~~P.~~ N. 44 W. 35 lks. x

a Do 15 " " " N. 29 E. 40 "

Land Linclrich Clay Soil
 Beech. Sugar. Sycm. Ironwood N. & R.
 Oak. W. B. Ash. B. Walnut Hickory
 Spice & P. Ash

N. 89.50 E. On S. Boundary of Sec. 35

11.50 a Road N. W. & S. E.

28.00 a Stream 10 lks. wide co. Northwly

30.72 a Beech 12 in. diam.

40.00 Set 2nd Sec. post p. 10 h.

a Beech 8 in. diam. ~~P.~~ S. 56 W. 14 lks. x

a Do 8 " " " N. 40 E. 22 "

41.00 a Road S. E. & N. W.

51.50 Bed of Stream co. Northwly

60.72 a Beech 12 in. diam. ~~P.~~

73.50 Descend 10 feet to Creek Bottoms N. W. & S. E.

80.00 Set post Cor. to Sec. 35 x 36 p. 10 h.

a Buckeye 12 in. diam. ~~P.~~ N. 38 E. 23 lks. x

a W. Oak 10 " " " N. 72 W. 41 "

Land gently rolling firm soil
 Beech. Sugar. Ironw. Whitewood, Sycm.
 N. & B. Oak, B. Walnut, Hickory & — On
 Creek Bottoms Buckeye, Sycamore,
 N. & B. Ash & — Spice & P. Ash —

N. 89.50 E. On S. Boundary of Sec. 36

13.00 Pipe Creek 6 lks. wide — Rapid
 gravelly Bottom. Course N. N. W.

15.50 Ascend Bank 30 feet N. W.

16.50 Indian Burying Ground

17.00 Enter Field N. & S. about 5.00 N.

22.50 a Stream 8 lks. wide co. S. E.

28.00 Clear Field N. & S.

30.75 a Beech 12 in. diam.

466. T. 26 N. R. 4 E. 2nd Mer. Indiana,
Chalk

- 40.00 Set 2nd Sec. post fr. wh.
" Beech 8 in. diam. B. N 70 W. 21 lbs. &
" Do 12 " " " N 46 E. 5 "
42.50 Enter field N. side of Sec
36.07 a Beech 12 in. diam. " and
Lean field N. & S.
64.00 Bed of Stream 10 lbs. wide co. Southern
80.00 Set post Cor. to Towns 25 & 26 North
Ranges 4 & 5 East fr. wh.
a Beech 12 in. diam. B. N 39 E. 50 lbs. &
" Do 30 " " " N 26 W. 24 "
Interspersed S. E. & S. of Random post
Land gently rolling
first rate. Mostly cleared fields
Beech, B. Walnut, Sycamore, Butternut,
Hickory, Lysim. - Spice & P. Ash.
Oct. 19. 1846.

East Boundary.

- North On E. Boundary of Sec. 36. Var. 4.30 East
19.17 a Beech 12 in. diam.
30.00 Bed of Stream 10 lbs. wide E & W.
31.00 a Road E & W.
40.00 Set 2nd Sec. post fr. wh.
" Beech 10 in. diam. B. N 4 E. 14 lbs. &
" Do 10 " " " N 38 W. 6 "
60.15 an Elm 10 " "
80.00 Set post Cor. to Sec. 25 & 36 fr. wh.
an Elm 12 in. diam. B. N 40 W. 27 lbs.
" Do 10 " " " N 57 W. 37 "
Land level first rate. Some-
times wet. B. Ash, Elm, Lysim. Ironwood, W. Ash,
W. B. Oak, Sycamore, Sugar &
Spice & P. Ash.
-

T. 26 N. R. 4 E. 2nd Mer. Indiana. ^{467.}

chs. lks.

North On E. Boundary of Sec. 25

14.93 a Maple 10 in. diam.

40.00 Set 2nd Sec. post p. w. h.

a Birch 12 in. diam. $\frac{1}{2}$ 198 N. 25 E.

a Do 12 " " " N 50 E. 6 "

62.05 To post on R. Line on N. Boundary of Reserve - took new bearings

an Ironwood - in. diam. $\frac{1}{2}$ 228 N. 25 E.

a Do 10 " " " 4.65 E. 36 "

Land Sec. 1st - Birch.

Sugar, Gum, W. B. Ash, White-wood

Ironwood, Gum Maple, Elm, Oak &

Sycamore - Oct. 20. 1846.

Surveyed by John

John Muller

Asst. J. Surveyor.

West Boundary.

Var. 4th 40' E.

North On E. Boundary of Sec. 36. T. 26 N. R. 3 E.

2.50 Bed of Stream 10 lks. wide co. N. E.

13.50 Same N. W.

20.36 a Sugar 24 in. diam.

20.50 Cor. of Fence - Clearing extending West about 8.00

25.00 House 1.00 W. of Fence

30.50 Fence of Fence -

37.50 a Stream 6 lks. wide co. N. E.

40.00 Set 2nd Sec. post p. w. h.

a Birch 10 in. diam. $\frac{1}{2}$ 123 N. 24 E.

a Do 18 " " " N 57 W. 37 "

51.00 a Clearing to the W. 1.00

54.00 a House 1.00 W. of Line

55.50 a Stream 10 lks. wide co. Easterly

59.16 a Birch 12 in. diam.

80.00 Set post Cor. to Sec. 25 & 36 p. w. h.

468. T. 26 N. R. 4 E. 2nd Mer. Indiana.
ch. lks.

a Beech 15 in. diam. b. N 79 W. 35 lks. dis.

a Do 12 " " " 4.14 W. 46 " "

Land Sur. fine rate Clay
soil. M & B. Oak, Beech. Symm. W. &
B. Ash. Sugar. Sycamore, B.
Walnut, Ironwood, White Wood,
Buckeye, Maple &c - Spruce, P. Ash &c

North On E. Boundary of Sec. 25. T. 26 N. R. 3 E.

19.52 a Beech 12 in. diam.

32.00 a Stream 10 lks. wide co. N. E.

34.50 To S. E. Cor. of Cornfield extending W.

46.00 To 2nd Sec. 100 ft in E. Edge of Field pr. wh.

a Beech 12 in. diam. b. N 8 E. 34 lks. &

a B. Walnut 15 " " " 4.49 E. 47 "

44.00 Near Field E. & W. 10.00

46.00 a Sugar 15 in. diam.

48.00 a Cornfield extending W.

51.50 Mesquite High Bank E & W 30 feet to
Creek Bottoms

56.50 to Creek co. N. W. Rapida

57.82 To point on River Line in N. side Creek.

Land gently rolling fine
rate Clay soil Sugar. Ironwood Symm.
Beech. Elm. Hickory, B. Walnut M & B. Oak,
W. Oak. Buckeye. - Spruce, Beech,
and P. Ash. - Oct. 18. 1846

Surveyed by

John Muller

Depy. Surveyor.

Sub-division

North Between Sections 35 & 36. Var. 4.40 E.

6.00 Pipe Creek co. N. 50 W. Low Bank
6 feet high. Slow Current

469.

T. 26 N. R. 4 E. 2nd Mer. Indiana.

cks. lks.

- 7.25 Clear Pipe Creek
 15.36 a W. Oak 18 in. diam.
 20.00 a Branch 10 lks. wide co. S.W.
 28.50 a Lym 20 in. diam.
 35.00 a Road bars East
 36.00 Daniel Kealrs improvement
 North East
 40.00 Set 2nd Sec. post p. wh.
 a Sugar 18 in. diam. b. N 89 W. 57 lks. dis.
 a Do 12 " " " S. 87 E. 44 " "
 46.18 a Branch 3 lks. wide co. W.
 46.50 Clear Improvement
 51.37 a Poplar 18 in. diam.
 65.76 a Beech 12 " "
 66.50 a Branch 6 lks. wide co. W.
 67.00 a Road bars E. & W.
 80.00 Established Co. to Sec. 25, 26, 35 & 36 p. wh.
 a W. Oak 30 in. diam. b. N 21 W. 54 lks.
 a Beech 20 " " " S. 81 E. 48 "

Land from 40.00 gently
 rolling monadate. Last 40.00
 level monadate. Timber throughout
 W. Oak, Sugar, Hickory, Lym and
 Beech. - Wmth, Spruce, P. Ash & Beech -

N 89.50 E. On Random Butte Sec. 25 & 36.
 Variation 4.20' E.

- 17.00 a Road bars N.
 38.00 a Road bars N.
 40.00 Set 2nd Sec. post
 46.00 a Maple Swamp
 50.00 Intersected E. Bureau, at post

Land this 50.00 well good
 monadate. Timber W. Oak, Poplar,
 Beech, Sugar & Walnut scattering
 Wmth, & Spruce, Ironb. & Beech -

470. T. 26 N. R. 4 E. 2nd Mer. Indiana.

clo. lks.

159.50 W. Established Line Bet^h Sec. 25 & 36

10.26 a Maple 18 in. diam.

35.08 a W. Oak 18 " "

40.00 Set 2nd Sec. just north.

a Sym 12 in. diam. b. 125 ft. W. 9 lks.

a Burr Oak 18 " " N 23 1/2 E. 25 "

55.39 a Beech 12 " "

65.10 a Sym 24 " "

75.63 a Sugar 18 " "

80.00 to Sec. Cor.

North Between Sections 25 & 26 Var. 440' E.

12.00 a Branch 8 lks. wide co. West

44.50 Set Temp. post.

54.00 a New Improvement and Log Cabin East of Line

61.57 Intersected N. Boundary of the Miami Reservation 30 lks. E. of post.

Land this 61.57 has
second rate Timber W. Oak. G. Ash,
Sugar. & Beech. - Thick standing
of Spruce P. Ash. Ironw. & Beech.

4.27 E Established Line Bet^h Sec 25 & 26

a G. Ash 24 in. diam. b. 140 E. 21 lks. x

a Beech 8 " " 11 1/2 W. 8.6 "

11.19 a Do 20 " "

19.57 Established 2nd Sec. just north.

a Sym 12 in. diam. b. 12 E. 15 lks. x

an Elm 6 " " N 7 1/2 E. 17 "

31.11 a Sym 18 " "

52.60 a Beech 12 " "

61.57 to Sec. Cor.

North Between Sections 34 & 35 Var. 440' E.

12.00 a Branch 4 lks. wide co. N. E.

T. 26 N. R. 4 E. 2nd Mer. Indiana. 471.

Chs. Mks.

- 15.19 a Beech 20 in. diam.
 26.00 a Road cross N.W.
 34.00 a Branch 6 lks. wide co. N.W.
 35.00 a Lym 20 in. diam.
 38.00 South side of David Clingers Farm
 40.00 Gr. 2nd Sec. for post
 a Beech 20 in. diam. N. 13 W. 2.95 lks.
 a Cherry 30 " " " N. 23 E. 3.90 "
 49.00 Lear Farm
 50.00 Gradual Descent Elev. 30°
 50.50 Foot of Descent
 55.00 a Beech 12 in. diam.
 61.00 Pipe Creek Co. N. low bank, now current.
 62.00 Lear Pipe Creek.
 63.00 Ascent of Hill Elev. 60°
 63.75 Summit
 68.00 a Road cross E. & W.
 71.00 a Beech 20 in. diam.
 72.00 a Branch 8 lks. wide co. N.
 80.00 Established Cor. to Sec. 26, 27, 34, 35 for post.
 a Beech 18 in. diam. N. 70 W. 39 lks. dis.
 a Cherry 10 " " " S. 18 W. 23 " "
 Land first 5000 rolling
 2nd Rate Timber W. Oak, Sugar, W. Elm,
 & Beech. - N. 13 E. 13.00 Bottom Land rich
 soil - Timber Buckeye, Lym. and
 Hackberry. Last 17.00 Broken 2nd rate
 Timber as the first - Thick growth of
 Spice, P. Ash, & Beech.

-
- 189.50 On Random Betw. Sec. 26 & 35 Var. 420 &
 18.00 a Road cross North
 22.00 a Branch 8 lks. wide co. S.W.
 40.00 Gr. Temp. for post
 80.12 Intentional N.W. Line as post
 Land this 80.12 had good

T. 26 N. R. 4 E. 2nd Mer. Indiana,
cls. lks.

Second rate - Timber W. Oak, Walnut,
Beech, Sugar, Sycam. & Beech. Under-
growth, Spice, Ironw. & Beech.

89.50 W. Established Line Betwth Secs. 26 & 35
10.22 a Beech 12 in. diam.
31.00 a Sycam 30 " "
35.41 a Beech 12 " "
40.06 Set 2nd Sec. post p. vch.
a Sycam 12 in. diam. B. 25 1/2 W. 9 lks. &
a Burr Oak 18 " " " N. 23 1/2 E. 25 "
50.31 a W. Oak 18 " "
65.17 a Beech 12 " "
80.12 to Sec. Cor.

North Between Section 26 & 27 Nor. 440 E.

40.00 Set Temp. post
41.00 S. W. Cor. of Improvement belongs
to Mr. Compton

48.00 Scar Improvement

59.60 Interseta N. Boundary of Miami
Reservation 58 lks. E. of post

Land Sur 2nd rate Timber
W. Oak, Sugar, Hickory & Beech.
Thick Undergrowth of Spice, R. Ash, & Beech.

Bearing, Sugar 30. 159 E. 1/2 S. - Beech 18. 112 W. 64 lks. as.

4. 55 E. Established Line Betwth Secs. 26 & 27

10.38 a Beech 12 in. diam. &

19.60 Set 2nd Sec. post p. vch.

a Burr Oak 12 in. diam. B. N. 62 1/2 E. 45 lks. de
an S. Ash 10 " " " 44 1/2 E. 36 " "

30.21 a Burr Oak 12 " "

49.55 a Sycam 24 " "

59.60 to Sec. Cor.

North Between Section 33 & 34 Nor. 440 E.

126 N. R. & 2nd Mer. Indiana. 473.

chals.

- 11.50 a Beech 20 in. diam.
 23.68 a W. Oak 18 " "
 31.25 a Beech 12 " "
 46.00 Sel 2nd Sec. for 1st wh.
 a Beech 12 in. diam. 150 ft. W. 17 lbs.
 a Ho 6 " " " N. 52 W. 12 "
 48.00 a Road bars Exp. W.
 59.00 Ascend a Hill Elev. 60.
 60.00 Foot of Hill
 64.00 a Road bars Exp. W.
 73.00 Pipe Creek Co. W. Mon. Current
 74.00 Clear Creek. Low Banks.
 74.25 Ascent of Hill Elev. 60.
 75.00 Summit
 80.00 Established Cor. to Sec. 27, 28, 33, 34 for wh.
 a Cherry 12 in. diam. N. 17 E. 5 lbs. dia.
 a Ho 6 " " " N. 71 W. 26 " "
 Land this 80.00 rolling 2nd rate.
 Timber W. Oak, Sugar, G. Ash, Poplar & Birch. Width. Spruce.
 None of Beech. Scattering
 May 6, 1847

- 189.50 On Random But. Sec. 27, 34 Var. 420 E.
 15.00 a Branch 4 lbs. co. N. W.
 25.00 a Ho 3 " " South
 40.00 Sel Temp. for L
 41.00 State Road from Peru to Strawtown
 bars N. W.
 60.00 a Road bars N. W.
 62.50 a Branch 6 lbs. wide co South
 80.05 Intimate N. W. Sim at post
 Land Sur. 2nd Rate Timber
 W. Oak, Sugar, Lym. Poplar & Birch.
 Width. Spruce & Birch. Scattering

44. T. 26 N. R. 4 E. 2nd Mer. Indiana
ch. lks.

189.50 W. Established Line Betwth Secs. 27 & 28

10.56 a W. Oak 18 in. diam.

30.20 a Beech 18 " "

40.02 Set 2nd Sec. for l.p. wh.

a Beech 18 in. diam. to N. 66 E. 21 lks. av.

a Cherry 8 " " " S. 31 E. 47 " "

49.48 a Lym. 12 " "

65.71 a Beech 12 " "

75.10 a G. Ash 18 " "

80.05 to Sec. Cor.

North Between Sections 27 & 28 Var. 4th 46 E.

28.00 a Road cross E. & W.

40.00 Set Temp. post

46.00 a Branch 8 lks. wide to S. W.

56.00 a Road cross N. E.

59.20 Interrupted N. Boundary of Miami Reserve
1.00 East of post

Land sold 2nd Rate Timber

W. Oak, Sugar, Hickory, N. Beech. Thick

Undergrowth of Spruce, P. Ash, & Beech.

4. 56 E. Established Line Betwth Secs. 28 & 29

an Ironb. 8 in. diam. to S. 16 E. 37 lks. av.

a Beech 18 " " " S. 65 W. 43 " "

9.37 a Do 20 " "

14.63 an H. Elm 20 " "

19.20 Established 2nd Sec. for l.p. wh.

a Sugar 18 in. diam. to S. 27 W. 21 lks. av.

an Ironb. 8 " " " S. 44 E. 5 " "

25.36 a Beech 18 " "

36.56 a Poplar 24 " "

50.10 a Lym. 24 " "

59.20 to Sec. Cor.

North Between Sections 32 & 33 Var. 4th 46 E.

475

T. 26 N. R. 4 E. 2nd Mer. Indiana.

ch. lks.

- 8.00 a W. Oak 18 in diam.
- 18.50 S. side of Silvesters Improvement
- 38.00 a Branch 8 lks. wide co. N. W.
- 40.00 Set 2nd Sec. post p. wh.
- a Beech 20 in diam. to N. 40 E. 32 lks. dist.
- a Blue Ash 20 " " " N. 43 W. 37 " "
- 40.50 Branch again 10 lks. wide co. N. W.
- 41.00 Clear Improvement
- 44.00 Branch again 10 lks. wide co. N. E.
- 51.00 a Beech 20 in. diam.
- 58.07 a G. Ash 18 " "
- 63.00 a Road cross E. & W.
- 80.00 Establish a Cor. to Sec. 28, 29, 32, 33 p. wh.
- a Beech 18 in. diam. to N. 5 W. 14 lks. dist.
- a Llo 18 " " " N. 36 W. 41 " "
- Land this 80.00 rolling 2nd rate
- Pine, W. Oak, Poplar, G. Ash,
- x Beech. Thick growth of Spruce
- Growth of Beech

- N. 89.55 E. On Random Betw. Sec. 28 & 33 Var. 4.20 E.
- 10.00 Ascent of Hill 15 ft. Elev. 60.
- 10.50 foot of Llo
- 13.00 Pipe Creek Course N. W. on Banks.
- Slow Current
- 14.00 Clear Pipe Creek
- 16.00 Pipe Creek again co. S. W.
- 17.00 Clear Llo.
- 23.00 Pipe Creek co. N.
- 24.00 Clear Llo
- 25.00 John Allens Improvement
- 40.00 Set Temp. post
- 45.00 Clear Improvement
- 52.00 Gradual Ascent of Land
- 53.00 a Road cross North
- 66.00 Ascent of Ravine Elev. 115.

476.

T. 26 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.

- 66.75 a Branch 6 lks. wide co. S. W.
 67.00 Ascent Elevⁿ 50°
 68.00 Summit
 74.00 Descent of Ravine Elevⁿ 60°
 75.00 Bottom of Branch 6 lks. wide co. S.
 76.00 Ascent Elevⁿ 50°
 77.00 Summit
 80.10 Intersected N. & S. Line 15 lks. S. of foot
 Land this 80.10 Broken 2nd
 rate - Timber W. Oak, Lym. Sugar, Hick,
 Poplar, & Birch - Undergrowth. Spice
 Ironw. & Beech - Scattering

S. 89.4 W. Establish a line Betⁿ Sec 28 & 33

- 10.55 a Birch 20 in. diam.
 30.29 a Do 18 " "
 40.65 Set 2^d Sec. foot sp. wh.
 a Cherry 12 in. diam. R. N 36 W. 83 lks. &
 No other near
 60.08 a Lym. 12 in. diam.
 70.20 a Birch 18 " "
 80.10 to Sec. Cor.

North Between Section 28 & 29. Var. 4.20' E.

- 2.00 Gradual Descent to Bottom Land Elevⁿ 30°
 3.50 Bottom Land
 6.50 a Road cross E. & W.
 8.26 a Lym. 18 in. diam.
 20.00 Pipe Creek co. W. low Banks low current
 21.00 Leave Pipe Creek - Low Banks
 21.50 Ascent of Bluff Bank Elevⁿ 70°
 22.50 Summit
 28.10 S. Side of Galam Bowers improvement
 of 30 Aers - analog Cabin
 40.00 Set Temp. post
 50.00 Leave improvement

T. 26 N. R. 4 E. 2nd Mer. Indiana. 47.

Chs. lks.

58.00 Intersited N. Bounay. of Miami Reserve
20 lks. East of - for

Land first 2.00 had 2nd rate
Next 18.00 Bottom Land, rich soil.
Timber Buckeye, Sycamore, Hackberry &
Beech. Last 37.00 had upland 2nd
rate. Timber W. Oak, Sugar, Gum,
& Beech. Undergrowth Spice, Hornwood,
and Beech.

4.126 Established Line Butte Sec. 28 & 29
a Sugar 30 in. diam. P. 4.14 W. 65 lks. dis.
a Gum 8 " " 4.71 E. 56 " "

7.20 a Beech 20 " "

18.00 Set 2nd Sec. for p. wh.

a Beech 20 in. diam. P. N. 67 W. 69 lks. &
a Cherry 10 " " 4.40 E. 37. "

33.10 a W. Oak. 18 " "

53.41 a Beech 20 " "

58.00 to Sec. Cor.

North Between Sections 31 & 32 Mer. 4.40 E.

10.60 a Beech 12 in. diam.

18.26 a Hickory 18 " "

31.17 a G. Ash 18 " "

40.00 Set 2nd Sec. for p. wh.

a Hickory 12 in. diam. P. N. 88 E. 9 lks. &

a W. Elm 14 " " N. 8 1/2 W. 19 "

45.00 State Road from Peru to Michigan
Town - bears N. 10 E.

49.71 a Sugar 21 in. diam.

55.60 Intersited N. Bounay, Line of Reserve *
or Sec. - on Big Pipe Creek

Land this 56.50 had same rate
Timber W. Oak, Sugar, Gum, & Beech. Thick
Undergrowth of Spice, Hornwood & Beech.

T. 26 N. R. 4 E. 2nd Mer. Indiana

ch. bk.

Back
to page 478

Established Cor. to Section 31 & 32 p. with
a Hickory 10 in. diam. to S. 38 W. 3 lks. dis.
a Sugar 8 " " " S. 36 E. 22 " "

East along S. Boundary of
Reserve 30.50 to S. E. Cor. - Thence West
along S. Boundary Line 50.57 to the S. W.
corner - May 7th 1847

-
- 189.50' W. Between Sections 29 & 32 Var. 4.20' E.
2.50 Descent of hill 10 feet Elev. 70'
3.00 a Branch 4 lks. wide co. N.
5.00 Jacob Borns Improvement of 10.
Acres & a log Cabin
14.00 Leave improvement
15.10 a Beech 24 in. diam.
17.00 a Branch 4 lks. wide co. North
18.00 Begin Ascent 15 ft. Elev. 60'
18.70 Summit
22.00 a Road bars 4.20 E.
35.00 a Branch 6 lks. wide co. N.
40.00 4th Sec. 10 & 11 p. with.
a Beech 18 in. diam. to N. 67 W. 18 lks. &
a Do 12 " " " S. 61 E. 62 "
50.07 Interrupted E. Boundary Line of Reserve
on Big Pipe Creek - Established Cor.
for Sec. 29 & 32 p. with.
a Beech 12 in. diam. to S. 29 E. 10 lks. &
a Do 18 " " " N. 12 E. 48 "
Measured N. along East
Boundary Line 57.00 to N. E. Corner
of Reserve - Thence S. along East
Boundary Line 24.50 to S. E. Cor. of the
Reserve
Lance this 50.57 broken good
second rate soil - Timber W. Oak. B. Oak.
(Descent 15 ft. Elev. 70')

479
T. 26 N. R. 4 E. 2nd Mer. Indiana
ch. lks.

Sugar, Gum, Poplar & Beech, scattering
Wendgth. of Spruce, Ironwood & Beech

189586 Between Sections 30 & 31 Var. 4.20 E.
10.36 a Gum 10 in. diam.
18.00 a Creek 25 lks. wide co. N. New Current
Low Banks

20.10 a Bluff 8.18 feet Elev. 70.

25.18 Intersited N. Boundary Line of Reserve
on Big Pipe Creek Established Cor. to
Sections 30 & 31 p. w. h.

a Gum 8 in. diam. p. 137 W. 32 lks. d. w.

a Sugar 6 " " " 137 W. 10 " "

Made bearing, to Sec. 30 & 31
on Range Line

a Beech 12 in. diam. p. 139 E. 40 lks.

a Lk. 12 " " " 132 E. 17 "

South along N. Boundary
Line of Reserve 25.00 to S. W. Cor. -

North along N. Boundary Line
of Reserve 50.20 to N. W. Corner

Since this 25.18 gently rolling
second rate. Timber W. Oak, Sugar, Gum,
Poplar & Beech. Thick Wendgth of
Spruce, Ironwood & Beech

May 8th 1847

The land in this portion of
Township is generally good second rate
and on there gently rolling & broken,
more particularly along Pipe Creek
the land is heavy timbered with W.
Oak, Poplar, Gum, Sugar, Walnut,
and Beech. The Creek & Branches
have elevated Banks and a more
rapide Current than there in the Town

T26 N. R4 E 2nd Mer. Indiana.

Ships East & South.

I Abner E. Van Ness
Deputy Surveyor, do solemnly swear,
that in pursuance of a Contract dated
the 20th day of May 1846, with Lucius
Ly on Surveyor Genl. of the United States
for Ohio, Indiana & Michigan. And
in strict conformity to the Laws of
the United State, and instructions
of said Surveyor Genl. I have
regularly surveyed & subdivided
into Sections & fractional Townships
N. 26 N. Range N. 4 East of the
2nd principal Meridian in the
State of Indiana. And I do
further solemnly swear that the
foregoing are the true and Original
Field Notes of the said Survey and
Subdivision, Executed as aforesaid

Abner E. Van Ness
Deputy Surveyor

Subscribed and sworn to before
me this 5th day of June 1847

Geo. W. Munn
Justice of the Peace.

James Bell }
Justus Nixon } Chairmen
Isaac McCallin } Marker

Survey Connecting Private
Grants & Reserves with the Public
Survey -

T. 26 N. R. 4 E. 2nd Mer. Indiana,
chs. lks.

Survey of Reservation on Big Pipe Creek

Commenced at a point
on Indian Boundary, in Sec. N^o 30
on Range Line betwⁿ Range 3 & 4
E. 2nd Meridian Township N^o 26 N.
Ran E. on said Boundary 25.00 and
set post from which
a W. Oak 20 in. diam. N. 43 $\frac{1}{2}$ E. 104 lks.
a Do 20 " " " N 19 $\frac{1}{2}$ E. 97 "
Thence

South

80.00 Set post from which
a Beech 9 in. diam. N. 20 E. 20 lks. &
a Do 6 " " " N 13 $\frac{1}{2}$ E. 31 $\frac{1}{2}$ "
Thence

East

85.00 Set post Cor. to
a Beech 6 in. diam. N. 64 $\frac{1}{2}$ W. 9 lks. &.
a G. Ash 20 " " " N. 37 $\frac{3}{4}$ E. 26 $\frac{1}{2}$ "
Thence

North

81.07 to said Boundary, & set post fr. wh.
a Beech 10 in. diam. N. 89 $\frac{1}{2}$ W. 8 lks. &.
a Poplar 14 " " " N. 18 E. 17 " "
West On Indian Boundary 34.52
to Line betwⁿ Secs. 30 & 29

Surveyed on the 3rd day of
June A.D. 1843 by Ira Mendenhall
Surv^r. M. C. Ia.

Claims Numbered 78, extending
into this Town on the North, will be
found Recorded in Town 27 N. R. 4 E.

Look up & compare the

T. 26 N. R. 4 E. 2nd Mer. Indiana

I certify that the foregoing
Transcript of the Field Notes of
Township No. 26 N. in Range No.
4 East 2nd Meridian Indiana
has been compared with the
Original Notes in this Office and
found to be correct.

Surveyor General's Office,
Detroit Nov. 1. 1849.

Lucius Lyon
Sut. Genl.